




### RSIC-SI-1 ULTRA

The **RSIC SI-1 Ultra** is designed for use with any wood framed, steel framed, or concrete (with Over Head Adapter) ceiling system where noise control is needed. The RSIC-1 assembly decouples and isolates the gypsum board or plywood from the structure increasing the acoustical performance of the system. With an Acoustical design load range from 5 lbs to 40 lbs per isolator, the RSIC-SI-1 Ultra clip can support up to two layers of 5/8" gypsum board when spaced at 24" x 48" oc. For heavier systems increase the number of isolators to support the additional weight of the system. The RSIC-SI-1 Ultra clip fastens directly to the framing or structure creating an air cavity between the face of the framing and the back of the gypsum board. The RSIC-SI-1 Ultra stops the noise and vibrations that typically would be allowed to transfer through the structure.





Wood
Steel
Metal Deck

Steel
Condo
Commercial

Apartment
Retail
Conference Rooms

Recording Studio
Home Theater
Commercial theater

### RSIC-SI-1 Ultra specifications:



Made in the USA	YES
Acoustical design load:	5 lb to 40 lb
Total deflection	1/2"
Double deflection	YES
Made with Recycled content	YES
Cryo low VOC treated	YES
Adjustable	YES
Cavity min	1/2"
Cavity Max	4"
Adjustment limit	1"
Use on Ceilings	YES
Use on walls	NO
New Construction	YES
Retro Fit	NO